



## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier	<b>KOCHKLEEN® WO</b>
General Use	INDUSTRIAL CLEANER
Physical Description	Liquid
<b>Manufacturer/Importer/Supplier/Distributor Information</b>	
Company Name	John R Hess & Company, Inc.
Address	400 Station St Cranston, RI 02910 USA
Telephone	(401) 785-9300 (800) 556-4377
E-mail	<a href="mailto:custerv@jrhess.com">custerv@jrhess.com</a>
Emergency Phone Numbers	Chemtrec 1-800-424-9300 (Spill, Leak, Fire, Exposure, Accident) +1 (703) 527-3887 (outside USA)

## 2. HAZARDS IDENTIFICATION

**OSHA Hazards:** Oxidizer, Target organ effect, Toxic by ingestion, Corrosive

**Target Organs:** Eyes, Skin, Respiratory system

**Signal Words:** Danger

**Pictograms:**



### GHS Classification

Oxidizing liquids	Category 1
Acute toxicity, Dermal	Category 4
Acute toxicity, Oral	Category 4
Skin corrosion	Category 1
Eye irritation	Category 1
Respiratory sensitizer	Category 1B

### GHS Label Elements

**Hazard Statements:**

H271	May cause fire or explosion; strong oxidizer
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H333	May be harmful if inhaled
H402	Harmful to aquatic life

**Precautionary Statements:**

P220	Keep/store away from clothing/combustible materials.
P280	Wear protective gloves/protective clothing/eye protection/face protection
P305+P351+	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P338	contact lenses if present and easy to do so. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.

**Potential Health Effects**

<b>Eyes</b>	May cause serious damage.
<b>Inhalation</b>	Irritating to the respiratory system. Causes irritation to the respiratory tract.
<b>Skin</b>	Irritating to skin. Contact causes redness, burns, itching and pain. Prolonged or repeated skin exposure may cause dermatitis.
<b>Ingestion</b>	Causes irritation and pain.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	Weight %	CAS #	EINECS# / ELINCS#	Formula	Molecular Weight
Hydrogen Peroxide	34	7722-84-1	231-765-0	H <sub>2</sub> O <sub>2</sub>	34.01 g/mol
Water	Balance	7732-18-5	231-791-2	H <sub>2</sub> O	18.00 g/mol

**4. FIRST-AID MEASURES**

<b>Eyes</b>	In case of eye contact, rinse with plenty of water and seek medical attention
<b>Inhalation</b>	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.
<b>Skin</b>	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and wash using soap. Get medical attention immediately.
<b>Ingestion</b>	<b>Do Not Induce Vomiting!</b> Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. Get medical attention immediately.

**5. FIREFIGHTING MEASURES**

<b>Suitable (and unsuitable) extinguishing media</b>	Product is not flammable. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use flooding quantities of water to cool containers.
<b>Special protective equipment and precautions for firefighters</b>	Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.
<b>Specific hazards arising from the chemical</b>	Product components will burn producing oxygen. (See also Stability and Reactivity section).



# KOCHKLEEN® WO

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**  
**Environmental precautions**

See section 8 for recommendations on the use of personal protective equipment.

Prevent spillage from entering drains. Any release to the environment may be subject to federal/national or local reporting requirements.

**Methods and materials for containment and cleaning up**

Neutralize spill with sodium bicarbonate or lime. Absorb spill with noncombustible absorbent material, then place in a suitable container for disposal. Clean surfaces thoroughly with water to remove residual contamination. Dispose of all waste and cleanup materials in accordance with regulations.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use.

### Conditions for safe storage, including any incompatibilities

Store in cool, dry well ventilated area. Isolate from combustible material. Store in the dark. Keep away from incompatible materials (see section 10 for incompatibilities).

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Occupational exposure controls:

Component	Exposure Limits	Basis	Entity
Hydrogen Peroxide	1 ppm 1.4 mg/m <sup>3</sup>	TLV	ACGIH
	1 ppm 1.4 mg/m <sup>3</sup>	PEL	OSHA
	1 ppm 1.4 mg/m <sup>3</sup>	REL	NIOSH

TWA: Time Weighted Average over 8 hours of work.

TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes.

IDLH: Immediately Dangerous to Life or Health

WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

### Personal Protection:

- Eyes**           Wear chemical safety glasses with a face shield for splash protection.
- Inhalation**    Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.
- Skin**            Wear neoprene or nitrile gloves, apron and other protective clothing appropriate to the risk of exposure.
- Other**           Not Available

**Other Recommendations**

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling. Have supplies and equipment for neutralization and running water available.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance (physical state, color, etc.)	Clear, colorless liquid
Odor	No Odor
Odor threshold	Not Applicable
pH	Not Available
Melting point/freezing point	Not Available
Initial boiling point and boiling range	Not Available
Flash point	Not Flammable
Evaporation rate	Not Available
Flammability (solid, gas)	Not Flammable
Upper/lower flammability or explosive limit	Not Explosive
Vapor pressure	Not Available
Vapor density	Not Available
Relative density	Not Available
Solubility (ies)	Completely soluble in water
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Applicable
Decomposition temperature	Not Available

**10. STABILITY AND REACTIVITY**

<b>Chemical Stability</b>	Stable
<b>Possibility of Hazardous Reactions</b>	Will not occur.
<b>Conditions to Avoid</b>	Store out of direct light
<b>Incompatible Materials</b>	Brass, Copper, Powdered metals, Iron, Iron and iron salts,
<b>Hazardous Decomposition Products</b>	Not Available

**11. TOXICOLOGICAL INFORMATION****Acute Toxicity**

<b>Skin</b>	LD50 Dermal – rat – 4060 mg/kg
<b>Eyes</b>	Not Available
<b>Respiratory</b>	LC50 Vapor – rat – 2000 mg/m – 4 hours
<b>Ingestion</b>	LD50 Oral – mouse – 2000 mg/kg

**Carcinogenicity**

<b>IARC</b>	3-Group 3: Not classifiable as to its carcinogenicity to humans (hydrogen peroxide).
<b>ACGIH</b>	A3: Confirmed animal carcinogen with unknown relevance to humans.
<b>NTP</b>	No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
<b>OSHA</b>	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Signs & Symptoms of Exposure**

<b>Skin</b>	Redness, burning, itching and pain.
<b>Eyes</b>	Eye burns, pain, watering eyes.
<b>Respiratory</b>	Coughing, shortness of breath, burning, choking, coughing, wheezing, laryngitis, headache or nausea.
<b>Ingestion</b>	Causes irritation and pain.

<b>Chronic Toxicity</b>	Not Available
<b>Teratogenicity</b>	Not Available
<b>Mutagenicity</b>	Not Available
<b>Embryotoxicity</b>	Not Available
<b>Specific Target Organ Toxicity</b>	Not Available

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

<b>Aquatic Vertebrate</b>	Not Available
<b>Aquatic Invertebrate</b>	Not Available
<b>Terrestrial</b>	Not Available

<b>Persistence and Degradability</b>	Not Available
<b>Bioaccumulative Potential</b>	Not Available
<b>Mobility in Soil</b>	Not Available
<b>PBT and vPvB Assessment</b>	Not Available
<b>Other Adverse Effects</b>	Not Available

## 13. DISPOSAL CONSIDERATIONS

**Waste Residues** Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container.

**Product Containers** Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

## 14. TRANSPORTATION INFORMATION

US DOT	UN2014, Hydrogen peroxide, aqueous solutions 5.1, (8), pg II
TDG	UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS 5.1, (8), PG II
IMDG	UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS 5.1, (8), PG II
Marine Pollutant	No
IATA/ICAO	UN2014, Hydrogen peroxide, aqueous solutions 5.1, (8), pg II

## 15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.
DSCL (EEC)	All ingredients are listed on the DSCL inventory.
California Proposition 65	Not Listed
SARA 302	Listed: Hydrogen Peroxide
SARA 304	Listed: Hydrogen Peroxide
SARA 311	Hydrogen Peroxide
SARA 312	Hydrogen Peroxide
SARA 313	Listed: Hydrogen Peroxide
WHMIS Canada	Class C: Oxidizing Material Class D-2B: Toxic Material Causing Other Toxic Effects

**16. OTHER INFORMATION**


## HMIS Rating

Health	*	3
Flammability		0
Physical hazards		1
Personal		D

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.

1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Prepared By: HSE Department  
 Issue Date: 6/12/2017  
 Version: 2  
 Precedes: 5/4/2015

## Disclaimer:

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, John R Hess & Company, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will John R Hess & Company, Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

KOCHKLEEN is a registered trademark of Koch Membrane Systems, Inc. in the United States and may be registered in other jurisdictions.